


INSTALLATION INSTRUCTIONS

EasyTrim™



EasyTrim™ uses recycled materials in all our products.

For Support please contact us at: (403) 797-2501

E-Mail: sales@easytriminc.com






EasyTrim™ uses recycled materials in all our products.

BEFORE YOU START...

- ✓ You have all recommended tools on hand (Please see page 2 for list of recommended tools.)
- ✓ Inspect the chain link fence for any obstructions (dirt build up, grass build up, rocks, wood etc.)
- ✓ It is recommended that you install EasyTrim™ with 2 people

EasyTrim™

PARTS LIST



1. EasyTrim™
2. Connector Clips
3. Attachment/Securing Springs

For Support please contact us at: (403) 797-2501

E-Mail: sales@easytriminc.com





EasyTrim™ uses recycled materials in all our products.

PARTS DESCRIPTION

1. EasyTrim™
 - 4-foot Segments
 - Can be cut to any required size to fit your chain link fence
 - Includes evenly spaced holes at the bottom for water drainage and for placement of Attachment/Securing Springs.
2. Connector Clips
 - 1 Clip per segment of EasyTrim™ product.
 - Used to snap over any seam where an EasyTrim™ segment aligns with an adjacent EasyTrim™ segment.
 - To create a seamless look & feel for your EasyTrim™
3. Attachment/Securing Springs
 - 2 Springs per segment of EasyTrim™ product.
 - Used to firmly attach and secure the EasyTrim™ product to your chain linked fence.

RECOMMENDED TOOLS

- ✓ Tape Measure
- ✓ Heavy Duty Cutting Shears, Snips or Hacksaw
 - ✓ We do NOT recommend using power tools
- ✓ Standard Pliers/Needle Nose Pliers
- ✓ Garden shovel/Spade

For Support please contact us at: (403) 797-2501

E-Mail: sales@easytriminc.com





EasyTrim™ uses recycled materials in all our products.

INSTALLATION STEPS

Step 1

- Prepare area under fence.
 - One last trim to create some clearance under the fence
 - You may have to use your garden shovel or spade to dig out any dirt, rock or debris build up



Step 2

- Slide one connector clip on either end of the segment.
 - This will be used later in the installation process to cover seams
- Placing one segment at a time
 - Lay the prepared EasyTrim™ product flat on the ground in front of the segment of Chain link fence where it is required
 - Starting from one end of this section of the chain linked fence, in one direction, start to slide the EasyTrim™ product under your chain linked fence, then begin to angle the EasyTrim™ product up to a vertical position, placing the bottom of chain linked fence into the cavity of the EasyTrim™ product.
 - Continue to insert the bottom of the chain linked fence into the cavity of the EasyTrim™ product.

For Support please contact us at: (403) 797-2501

E-Mail: sales@easytriminc.com





EasyTrim™ uses recycled materials in all our products.

INSTALLATION STEPS

Step 3

- Please repeat Step 3 for all required segments

Step 4

- Install the EasyTrim™ Attachment/Secure Springs through the bottom holes on the product to the chain-link fence. 2 per piece.
 - This will keep your EasyTrim™ product tightened securely to your fence.

Step 5

- Now that all segments of EasyTrim™ are “loosely fit” slide each connector clip over the seams

NOTE: Please allow an inch to a half-inch gap between the EasyTrim™ segments, which will be covered by the connector clips, to allow for potential expansion during changes in temperature from extreme heat to cool.



Now wait for your grass to grow so you can make all of your neighbors envious of your new clean fence line!

For more information:

EasyTrim Inc.
#34 4216 54th Ave SE
Calgary, Alberta, Canada
T2C 2E3

Office: (403) 797-2501
e-mail: sales@easytriminc.com
Web: www.easytriminc.com

